


We claim:

1. A herbicidal mixture comprising

5

a) at least one derivative of a sulfonylurea of the formula
I



15

where the substituents have the following meanings:

R¹ is C₁-C₆-alkyl which has attached to it one to five
of the following groups: methoxy, ethoxy, SO₂CH₃,
cyano, chlorine, fluorine, SCH₃, S(O)CH₃;

20

halogen;

a group ER⁶ where E is O, S or NR⁷;

25

COOR⁸;

NO₂;

S(O)₂R⁹, SO₂NR¹⁰R¹¹, CONR¹⁰R¹¹;

30

R² is hydrogen, C₁-C₄-alkyl, C₂-C₄-alkenyl, C₂-C₄-
alkynyl, halogen, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy;
C₁-C₄-haloalkyl, a C₁-C₂-alkylsulfonyl group, nitro,
cyano or C₁-C₄-alkylthio;

35

R³ is F, CF₃, CF₂Cl, CF₂H, OCF₃, OCF₂Cl, or, if R¹ is
CO₂CH₃ and R² is simultaneously fluorine, R³ is Cl,
or, if R¹ is CH₂CF₃ or CF₂CF₃, R³ is methyl, or, if R⁴
is OCF₃ or OCF₂Cl, R³ is OCF₂H or OCF₂Br;

40

R⁴ is C₁-C₂-alkoxy, C₁-C₂-alkyl, C₁-C₂-alkylthio,
C₁-C₂-alkylamino, di-C₁-C₂-alkylamino, halogen,
C₁-C₂-haloalkyl, C₁-C₂-haloalkoxy,

2

- 5 R⁵ is hydrogen, C₁-C₂-alkoxy, C₁-C₄-alkyl;
- 10 R⁶ is C₁-C₄-alkyl, C₂-C₄-alkenyl, C₂-C₄-alkynyl or C₃-C₆-cycloalkyl, all of which can have attached to them 1 to 5 halogen atoms, with the exception of allyl, difluoromethoxy, chlorodifluoromethoxy and 2-chloroethoxy, if E is O or S. In the event that E is O or NR⁷, R⁶ is furthermore also methylsulfonyl, ethylsulfonyl, trifluoromethylsulfonyl, allyl-sulfonyl, propargylsulfonyl or dimethylsulfamoyl;
- 15 R⁷ is hydrogen, methyl or ethyl
- 20 R⁸ is a C₁-C₆-alkyl group which can have attached to it up to three of the following radicals: halogen, C₁-C₄-alkoxy, C₁-C₄-alkylthio, C₁-C₄-haloalkoxy, C₁-C₄-alkoxy-C₁-C₂-alkoxy, C₃-C₇-cycloalkyl and/or phenyl; a C₅-C₇-cycloalkyl group which can have attached to it up to three C₁-C₄-alkyl groups; C₃-C₆-alkenyl or C₃-C₆-alkynyl;
- 25 R⁹ is a C₁-C₆-alkyl group which can have attached to it one to three of the following radicals: halogen, C₁-C₄-alkoxy, C₁-C₄-alkylthio, C₁-C₄-haloalkoxy, C₁-C₄-alkoxy-C₁-C₂-alkoxy, C₃-C₇-cycloalkyl and/or phenyl; a C₅-C₇-cycloalkyl group which can have attached to it one to three C₁-C₄-alkyl groups; C₃-C₆-alkenyl or C₃-C₆-alkynyl;
- 30 R¹⁰ is hydrogen, C₁-C₂-alkoxy, C₁-C₆-alkyl, or together with R¹¹ is a C₄-C₆-alkylene chain in which one methylene group can be replaced by an oxygen atom or a C₁-C₄-alkylimino group;
- 35 R¹¹ is a C₁-C₄-alkyl group which can have attached to it one to four halogen or C₁-C₄-alkoxy radicals; C₃-C₆-cycloalkyl
- 40 n is 0 - 3
- o is 1 - 2
- Z N or CH,
- 45 or their environmentally compatible salts

and

b) a synergistically active amount of at least one
herbicidal compound selected from groups b1 to b41

5

b1 1,3,4-thiadiazoles:
buthidazole, cyprazole

10

b2 amides:
allidochlor (CDAA), benzoylprop-ethyl, bromobutide,
chlorthiamid, dimepiperate, dimethenamid, diphenamid,
etobenzanid (benzchlomet), flamprop-methyl, fosamin,
isoxaben, monalide, naptalame, pronamid (propyzamid),
propanil

15

b3 aminophosphoric acids:
bilanafos, (bialaphos), buminafos, glufosinate-
ammonium, glyphosate, sulfosate

20

b4 aminotriazoles:
amitrol

b5 anilides:
anilofos, mefenacet

25

b6 aryloxyalkanoic acids:
2,4-D, 2,4-DB, clomeprop, dichlorprop, dichlorprop-P,
dichlorprop-P (2,4-DP-P), fenoprop (2,4,5-TP),
fluoroxypyr, MCPA, MCPB, mecoprop, mecoprop-P,
napropamide, napropanilide, triclopyr

30

b7 benzoic acids:
chloramben, dicamba

35

b8 benzothiadiazinones:
bentazone

b9 bleaches:
clomazone (dimethazone), diflufenican, fluoro-
chloridone, flupoxam, fluridone, pyrazolate,
sulcotrione (chlormesulone)

40

b10 carbamates:
asulam, barban, butylate, carbetamid, chlorbufam,
chlorpropham, cycloate, desmedipham, di-allate,
EPTC, esprocarb, molinate, orbencarb, pebulate,
phenisopham, phenmedipham, propham, prosulfocarb,

45

FOUO 0050/46225

pyributicarb, sulf-allate (CDEC), terbucarb, thioben-
carb (benthiocarb), tiocarbazil, tri-allate, verno-
late

- 5 b11 quinolinecarboxylic acids:
 quinclorac, quinmerac
- b12 chloracetanilides:
 acetochlor, alachlor, butachlor, butenachlor,
10 diethatyl-ethyl, dimethachlor, metazachlor,
 metolachlor, pretilachlor, propachlor, prynachlor,
 terbuchlor, thenylchlor, xylachlor
- b13 cyclohexenones:
15 alloxydim, caloxydim, clethodim, cloproxydim,
 cycloxydim, sethoxydim, tralkoxydim, 2-{1-[2-(4-
 chlorophenoxy)propyloxyimino]butyl}-3-hydroxy-5-(2H-
 tetrahydrothiopyran-3-yl)-2-cyclohexen-1-one
- 20 b14 dichlorpropionic acids:
 dalapon
- b15 dihydrobenzofurans:
 ethofumesate
25
- b16 dihydrofuran-3-ones:
 flurtamone
- 30 b17 dinitroanilines:
 benefin, butralin, dinitramin, ethalfluralin,
 fluchloralin, isopropalin, nitralin, oryzalin,
 pendimethalin, prodiamine, profluralin, trifluralin
- 35 b18 dinitrophenols:
 bromofenoxim, dinoseb, dinoseb-acetat, dinoterb, DNOC
- b19 diphenyl ethers:
 acifluorfen-sodium, aclonifen, bifenox, chlornitrofen
40 (CNP), difenoxuron, ethoxyfen, fluorodifen, fluoro-
 glycofen-ethyl, fomesafen, furyloxyfen, lactofen,
 nitrofen, nitrofluorfen, oxyfluorfen
- b20 dipyridylenes:
45 cyperquat, difenzoquat methylsulfate, diquat, para-
 quat dichloride

0050/46225

- b21 ureas:
benzthiazuron, buturon, chlorbromuron, chloroxuron,
chlortoluron, cumyluron, dibenzyluron, cycluron,
dimefuron, diuron, dymrone, ethidimuron, fenuron,
5 fluometuron, isoproturon, isouron, karbutilate,
linuron, methabenzthiazuron, metobenzuron, metoxuron,
monolinuron, monuron, neburon, siduron, tebuthiuron,
trimeturon
- 10 b22 imidazoles:
isocarbamid
- b23 imidazolinones:
imazamethapyr, imazapyr, imazaquin, imazethabenz-
15 methyl (imazame), imazethapyr
- b24 oxadiazoles:
methazole, oxadiargyl, oxadiazon
- 20 b25 oxiranes:
tridiphane
- b26 phenols:
25 bromoxynil, ioxynil
- b27 phenoxyphenoxypropionic esters:
clodinafop, cyhalofop-butyl, diclofop-methyl,
fenoxaprop-ethyl, fenoxaprop-P-ethyl, fenthiafop-
ethyl, fluazifop-butyl, fluazifop-P-butyl, haloxyfop-
30 ethoxyethyl, haloxyfop-methyl, haloxyfop-P-methyl,
isoxapyrifop, propaquizafop, quizalofop-ethyl,
quizalofop-P-ethyl, quizalofop-tefuryl
- 35 b28 phenylacetic acids:
chlorfenac (fenac)
- b29 phenylpropionic acid:
chlorophenprop-methyl
- 40 b30 protoporphyrinogen IX oxydase inhibitors:
benzofenap, cinidon-ethyl, flumiclorac-pentyl,
flumioxazin, flumipropyn, flupropacil, fluthiacet-
methyl, pyrazoxyfen, sulfentrazone, thidiazimin
- 45

T06707" 9474650

- b31 pyrazoles:
nipyraclufen
- 5 b32 pyridazines:
chloridazon, maleic hydrazide, norflurazon, pyridate
- b33 pyridinecarboxylic acids:
clopyralid, dithiopyr, picloram, thiazopyr
- 10 b34 pyrimidyl ethers:
pyrithiobac acid, pyrithiobac sodium, KIH-2023,
KIH-6127
- 15 b35 sulfonamides:
flumetsulam, metosulam
- 20 b36 sulfonylureas:
amidosulfuron, azimsulfuron, bensulfuron-methyl,
chlorimuron-ethyl, chlorsulfuron, cinosulfuron,
cyclosulfamuron, ethametsulfuron-methyl, ethoxy-
sulfuron, flazasulfuron, halosulfuron-methyl, imazo-
sulfuron, metsulfuron-methyl, nicosulfuron, primi-
sulfuron, prosulfuron, pyrazosulfuron-ethyl, rim-
25 sulfuron, sulfometuron-methyl, thifensulfuron-methyl,
triasulfuron, tribenuron-methyl, triflusaluron-
methyl
- 30 b37 triazines:
ametryn, atrazine, aziprotryn, cyanazine, cyprazine,
desmetryn, dimethamethryn, dipropetryn, eglinazine-
ethyl, hexazinon, procyazine, prometon, prometryn,
propazine, secbumeton, simazine, simetryn, terbume-
ton, terbutryn, terbuthylazine, trietazine
- 35 b38 triazinones:
ethiozin, metamitron, metribuzin
- 40 b39 triazolecarboxamides:
triazofenamid
- 45 b40 uracils:
bromacil, lenacil, terbacil
- b41 others:
benazolin, benfuresate, bensulide, benzofluor,
butamifos, cafenstrole, chlorthal-dimethyl (DCPA),

FOUO " 647 2650

cinmethylin, dichlobenil, endothall, fluorbentranil,
mefluidide, perfluidone, piperophos

or their environmentally compatible salts.

5

2. A herbicidal mixture as claimed in claim 1, comprising a sul-
fonylurea of the formula I where

10 R^1 is CO_2CH_3 , $\text{CO}_2\text{C}_2\text{H}_5$, $\text{CO}_2\text{iC}_3\text{H}_7$, CF_3 , CF_2H , CH_2CF_3 , CF_2CF_3 ,
 OSO_2CH_3 , $\text{OSO}_2\text{N}(\text{CH}_3)_2$, Cl , NO_2 , $\text{SO}_2\text{N}(\text{CH}_3)_2$, SO_2CH_3 , $\text{SO}_2\text{C}_2\text{H}_5$
and $\text{N}(\text{CH}_3)\text{SO}_2\text{CH}_3$,

R^2 is hydrogen, halogen or methyl,

15 R^3 is CF_2H , OCF_3 , OCF_2Cl , CF_3 , or, if R^1 is CO_2CH_3 and R^2 is
simultaneously fluorine, R^3 is Cl , or, if R^1 is F_3 , CH_2CF_3
or CF_2CF_3 , R^3 is methyl,

20 R^4 is OCH_3 ,

R^5 is hydrogen and

Z is N or CH .

- 25 3. A herbicidal mixture as claimed in claim 1 or 2, comprising a
sulfonylurea of the formula I where

R^1 is halogen, a group ER^6 , a group CO_2R^8 , SO_2CH_3 or $\text{SO}_2\text{C}_2\text{H}_5$,

30 R^2 is hydrogen,

R^3 is F ,

R^4 is OCF_3 , OCF_2Cl , OCH_3 ,

35

R^5 is hydrogen,

R^6 and R^8 have the meanings given in claim 1 and

40 Z is N or CH .

4. A herbicidal mixture as claimed in any of claims 1 to 3, com-
prising a sulfonylurea of the formula I where

45 R^1 is CF_3 ,

R² is hydrogen,

R³ is CF₃,

5 R⁴ is OCH₃,

R⁵ is hydrogen and

Z is N.

10

5. A herbicidal mixture as claimed in any of claims 1 to 4, comprising at least one herbicidal compound (b) from the group consisting of
- 15 bromobutide, dimethenamid, isoxaben, propanil, glufosinate-ammonium, glyphosate, sulfosate, mefenacet, 2,4-D, 2,4-DB, 2,4-DBEE, dichlorprop, dichlorprop-p (2,4-DP-P), fluroxypyr, MCPA, mecoprop, mecoprop-p, dicamba, bentazone, clomazone, diflufenican, sulcotrione, phenmedipham, thiobencarb, quinclorac, quinmerac, acetochlor,
- 20 alachlor, butachlor, metazachlor, metolachlor, pretilachlor, butoxydim, clethodim, cycloxydim, sethoxydim, tralkoxydim, caloxydim, 2-{1-[2-(4-chlorophenoxy)propyloxyimino]butyl}-3-hydroxy-5-(2H-tetrahydrothiopyran-3-yl)-2-cyclohexen-1-one,
- 25 pendimethalin, acifluorfen-sodium, bifenox, fluoroglycofen-ethyl, fomesafen, lactofen, chlortoluron, cycluron, dymrone, isoproturon, methabenzthiazuron, imazaquin, imazethabenzmethyl, imazethapyr, bromoxynil, ioxynil, clodinafop, cyhalofop-butyl, fenoxypyr-ethyl, fenoxaprop-p-ethyl, haloxypyr-p-methyl, cinidon-ethyl, flumiclorac-pentyl,
- 30 flumipropyn, fluthiacet-methyl, pyridate, clopyralid, bispyribac-sodium, KIH-8555, KUH-920, flumetsulam, metosulam, amidosulfuron, azimsulfuron, bensulfuron-methyl, chlorimuron-ethyl, chlorsulfuron, cinosulfuron, cyclosulfamuron, ethoxysulfuron, flazasulfuron, galosulfuron-methyl,
- 35 HOE-107925, imazosulfuron, metsulfuron-methyl, nicosulfuron, primisulfuron, prosulfuron, pyrazosulfuron-ethyl, rimsulfuron, thifensulfuron-methyl, triasulfuron, tribenuron-methyl, atrazine, cyanazine, terbutylazin, benazolin,
- 40 benfuresate, cafenstrole, cinmethylin, ammonium-bentazone, cloquintocet, ET-751, F-8426, KPP-314.

6. A herbicidal mixture as claimed in any of claims 1 to 5, comprising at least one herbicidal compound (b) from the group
- 45 consisting of

2,4-D, MCPA, dichlorprop-p, mecoprop-p, dicamba, bentazone, diflufenican, sulcotrione, quinclorac, caloxydim, cycloxydim, sethoxydim, 2-[1-[2-(4-chlorophenoxy)propyloxyimino]butyl]-3-hydroxy-5-(2H-tetrahydrothiopyran-3-yl)-2-cyclohexen-1-one, acifluorfen-sodium, fluoroglycofen-ethyl, bromoxynil, fenoxypop-ethyl, cinidon-ethyl, amidosulfuron, bensulfuron-methyl, metsulfuron-methyl, nicosulfuron, pyrazosulfuron-ethyl, rimsulfuron, triasulfuron, tribenuron-methyl, atrazine, terbutylazine, ammonium-bentazone, cloquintocet.

10

7. A herbicidal mixture as claimed in any of claims 1 to 6, comprising a sulfonylurea (a) of the formula I and one or more herbicidal compounds (b) in a weight ratio of 1:0.1 to 1:40.

15

8. A herbicidal mixture as claimed in claim 7, comprising a sulfonylurea (a) of the formula I and one or more herbicidal compounds (b) in a weight ratio of 1:0.2 to 1:20.

20

9. A herbicidal composition comprising a herbicidally active amount of a sulfonylurea (a) of the formula I as claimed in any of claims 1 to 4, a synergistically active amount of at least one herbicidal compound (b) as claimed in any of claims 1, 5 or 6, at least one liquid and/or solid carrier and, if desired, at least one adjuvant.

25

10. A herbicidal composition as claimed in claim 9, which comprises the sulfonylurea (a) of the formula I and one or more herbicidal compounds (b) in a weight ratio of 1:0.1 to 1:40.

30

11. A herbicidal composition as claimed in claim 9 or 10, which comprises the sulfonylurea (a) of the formula I and one or more herbicidal compounds (b) in a weight ratio of 1:0.2 to 1:20.

35

12. A method of controlling undesirable vegetation, which comprises applying a sulfonylurea (a) of the formula I as set forth in any of claims 1 to 4 and one or more herbicidal compounds (b) as set forth in claim 1 before, during and/or after the emergence of undesirable plants, either simultaneously or in succession.

40

13. A method of controlling undesirable vegetation, which comprises treating the leaves of the crop plants and of the undesirable plants with a sulfonylurea (a) of the formula I as set forth in any of claims 1 to 4 and one or more com-

45

05746-001

10

pounds (b) as set forth in claim 1, either simultaneously or in succession.

5

10

15

20

25

30

35

40

45

0050/46225